Author Index

Abbott, S.P. See Sigler, L.
Adams, K. See Albert, M.M.
Ajello, L. See Pappagianis, D.
Al-Haidary, A.D. See Hostetler, J.S.
Albert, M.M., Adams, K., Luther, M.J., Sun,
S.H. & Graybill, J.R. Efficacy of AmBisome
in murine coccidioidomycosis, 467
Almario, J.S. See Navarro, E.E.
Ambroise-Thomas, P. See Pinel, C.
Amster, R.L. See Padhye, A.A.
Arns, C.W. See Mendes-Giannini, M.J.S.

Bacher, J. See Navarro, E.E.
Bacher, J. See Walsh, T.J.
Baltch, A.L. See Louie, A.
Barranco, C.P. Aspergillus and its place in medical mycology, 477
Block, C. See Gurevitz, O.
Borowski, E. See Milewski, S.

Bramono, K., Tsuboi, R., Murai, M., Miyakawa, Y., Fukazawa, Y. & Ogawa, H. Scanning electron microscope observation of adherence of *Candida albicans* to cultured keratinocytes, 473

Bromuro, C., Torosantucci, A., Gomez, M.J., Urbani, F. & Cassone, A. Differential release of an immunodominant 65 kDa mannoprotein antigen from yeast and mycelial forms of *Candida albicans*, 447

Browning, M. See Padhye, A.A.
Burger, E. See Vaz, C.A.C.
Burger, E. See Xidieh, C.F.
Burnett, J.W. See Louie, A.
Burnie, J.P. See Loudon, K.W.
Byard, R. See Davis, S.R.

Calich, V.L.G. See Vaz, C.A.C.
Calich, V.L.G. See Xidieh, C.F.
Camargo, Z.P. See Vaz, C.A.C.
Catanzaro, A. See Hostetler, J.S.
Casadevall, A. See Fan, M.
Cassone, A. See Bromuro, C.
Cho, T., Hagihara, Y., Kaminishi, H. &

Watanabe, K. The relationship between the glucose uptake system and growth cessation in *Candida albicans*, 461
Cihlar, R.L. See McElhaney-Feser, G.E.

Clemons, K.V. & Stevens, D.A. Utility of the triazole D0870 in the treatment of experimental systemic coccidiodomycosis, 323 Cloud, G.A. See Hostetler, J.S.

Coke, A.P. See Loudon, K.W.

Covelli, I. See Milewski, S. Curi, P.R. See Freire-Maia, D.V. Currie, B.P. See Fan, M.

Davis, S.R., Ellis, D.H., Goldwater, P., Dimitriou, S. & Byard, R. First human culture-proven Australian case of entomophthoromycosis caused by *Basidiobolus* ranarum, 225

de Hoog, G.S., Matsumoto, T., Matsuda, T. & Uijthof, J.M.J. Exophiala jeanselmei var. lecanii-corni, an aetiologic agent of human phaeohyphomycosis, with report of a case, 373

Devine, C.A. See Sherwood-Higham, J. Devine, G.W. See Sherwood-Higham, J. Dewsnup, D.H. & Stevens, D.A. Efficacy of oral amphotericin B in AIDS patients with

Dimitriou, S. See Davis, S.R. Dixon, D.M. See Louie, A.

Doi, M., Mizuguchi, I., Homma, M. & Tanaka, K. Electrophoretic karyotypes of isolates of *Candida albicans* from hospitalized patients, 133

thrush clinically resistant to fluconazole, 389

Domenech, E. See Padhye, A.A.

Edman, J.C. See Torres-Guererro, H. Eiffert, H. See Reichard, U. El Hassan, A.M. See Fahal, A.H. El Toum, E.A. See Fahal, A.H. El-Maghrabi, E.A. See Louie, A. Ellis, D.H. See Davis, S.R. Ewing, E.P. See Padhye, A.A.

Fahal, A.H., El Toum, E.A., El Hassan, A.M., Mahgoub, E.S. & Gumaa, S.A. A preliminary study on the ultrastructure of *Actino*madura pelletieri and its host tissue reaction, 343

Fan, M., Currie, B.P., Gutell, R.R., Ragan, M.A. & Casadevall, A. The 16S-like, 5.8S and 23S-like rRNAs of the two varieties of Cryptococcus neoformans: sequence, secondary structure, phylogenetic analysis and restriction fragment polymorphisms, 163

Farfel, Z. See Gurevitz, O.

Freire-Maia, D.V., Garcia, M.G., Mendes, R.P., Marques, S.A., Curi, P.R. & Souza, L.R. Chromosome aberrations in lymphocyte cultures from paracoccidioidomycosis patients, 199

Fukazawa, Y. See Bramono, K.

Garcia, M.G. See Freire-Maia, D.V. Galgiani, J.N. See Hostetler, J.S.

Gil, C., Pérez-Diaz, R. & Nombela, C. Inhibitory and morphological effects of several antifungal agents on three types of *Candida albicans* morphological mutants, 151

Gil, F. See San-Blas, F.

Goldschmied-Reuven, A. See Gurevitz, O.

Goldwater, P. See Davis, S.R.

Gomez, M.J. See Bromuro, C.

Gooday, G.W. See Sherwood-Higham, J.

Goodman, T.C. See Walsh, T.J.

Gow, N.A.R. See Sherwood-Higham, J. Granados, J. See Pedroza-Seres, M.

Graybill, J.R. See Albert, M.M.

Graybill, J.R. See Hostetler, J.S.

Gregory, D.W. See Sherwood-Higham, J.

Grillot, R. See Pinel, C.

Guého, E. See Leclerc, M.C.

Gumaa, S.A. See Fahal, A.H.

Gurevitz, O., Goldschmied-Reuven, A., Block, C., Kopolovic, J., Farfel, Z. & Hassin, D. Cryptococcus neoformans vertebral osteomyelitis, 315

Gutell, R.R. See Fan, M.

Hagihara, Y. See Cho, T.

Hahn, B.L. See Radke, L.L.

Hahn, B.L. See Sohnle, P.G.

Hamilton, A. See Jeavons, L.

Hanyaku, H. See Naka, W. Harada, T. See Naka, W.

Hassin, D. See Gurevitz, O.

Hazare, V.K. See Padhye, A.A.

Hearn, V. See Vaz, C.A.C.

Homma, M. See Doi, M.

Hostetler, J.S., Catanzaro, A., Stevens, D.A.,
Graybill, J.R., Sharkey, P.K., Larsen, R.A.,
Tucker, R.M., Al-Haidary, A.D., Rinaldi,
M.G., Cloud, G.A. & Galgiani, J.N. Treatment of coccidioidomycosis with SCH 39304, 105

Hunt, L. See Jeavons, L.

Imwidthaya, P. Systemic fungal infections in Thailand, 395

Itoyama, T. See Maebashi, K.

Jacobson, E.S. & Tingler, M.J. Strains of Cryptococcus neoformans with defined capsular phenotyes, 401

Jeavons, L., Hunt, L. & Hamilton, A. Immunochemical studies of heat-shock protein 80 of *Histoplasma capsulatum*, 47 Kaminishi, H. See Cho, T. Kappe, R. See Maiwald, M. Katkar, V.J. See Padhye, A.A. Kaufman, L. See Padhye, A.A. Kelly, P. See Walsh, T.J. King, C. See Navarro, E.E. Kopolovic, J. See Gurevitz, O.

Larsen, R.A. See Hostetler, J.S. Lecciones, J. See Walsh, T.J.

Leclerc, M.C., Philippe, H. & Guého, E. Phylogeny of dermatophytes and dimorphic fungi based on large subunit ribosomal RNA sequence comparisons, 331

Lee, J. See Walsh, T.J.

Lee, J.W. See Walsh, T.J.

Leitner, I. See Mieth, H.

Liu Yin, J.A. See Loudon, K.W.

Loudon, K.W., Coke, A.P., Burnie, J.P., Lucas, G.S. & Liu Yin, J.A. Invasive aspergillosis: clusters and sources?, 217

Louie, A., Dixon, D.M., El-Maghrabi, E.A., Burnett, J.W., Baltch, A.L. & Smith, R.P. Relationship between *Candida albicans* epidermolytic proteinase activity and virulence in mice, 59

Lucas, G.S. See Loudon, K.W.

Luther, M.J. See Albert, M.M.
Lynch, M.E. & Sobel, J.D. Comparative in vitro activity of antimycotic agents against pathogenic vaginal yeast isolates, 267

Mabuchi, T. See Miyakawa, Y.

McElhaney-Feser, G.E. & Cihlar, R.L. Purification and characterization of fatty acid synthase from *Candida albicans* strain 4918 and two derived spontaneous ceruleninresistant mutants, 13

Mackenzie, D.W.R. See Vaz, C.A.C.

Maebashi, K., Itoyama, T., Uchida, K., Suegara, N. & Yamaguchi, H. A novel model of cutaneous candidiasis produced in prednisolone-treated guinea-pigs, 349

Mahgoub, E.S. See Fahal, A.H.
 Maiwald, M., Kappe, R. & Sonntag, H.-G.
 Rapid presumptive identification of medically relevant yeasts to the species level by polymerase chain reaction and restriction

enzyme analysis, 115 Marques, S.A. See Freire-Maia, D.V.

Masih, D.T. See Rossi, G.R.

Matsuda, T. See de Hoog, G.S.

Matsumoto, T. See de Hoog, G.S.

Meingassner, J.G. See Mieth, H.

Mendes, R.P. See Freire-Maia, D.V.

Mendes-Giannini, M.J.S., Ricci, L.C., Uemura, M.A., Toscano, E. & Arns, C.W. Infection and apparent invasion of Vero cells by Paracoccidioides brasiliensis, 189

Merkel, G.J. & Scofield, B.A. Comparisons between in vitro glial cell adherence and internalization of non-encapsulated and encapsulated strains of Cryptococcus neoformans, 361

Mieth, H., Leitner, I. & Meingassner, J.G. The efficacy of orally applied terbinafine, itraconazole and fluconazole in models of experimental trichophytoses, 181

Mignini, F. See Milewski, S.

Milewski, S., Mignini, F., Covelli, I. & Borowski, E. Specific inhibition of acid proteinase secretion in Candida albicans by Lys-Nva-FMDP, 1

Miyakawa, Y. See Bramono, K.

Miyakawa, Y. & Mabuchi, T. Characterization of a species-specific DNA fragment originating from the Candida albicans mitochondrial genome, 71

Mizuguchi, I. See Doi, M.

Monod, M. See Pinel, C.

Monod, M. See Togni, G.

Morrow, B., Ramsev, H. & Soll, D.R. Regulation of phase-specific genes in the more general switching system of Candida albicans strain 3153A, 287

Murai, M. See Bramono, K.

Naka, W., Hanyaku, H., Tajima, S., Harada, T. & Nishikawa, T. Application of neutral red staining for evaluation of the viability of dermatophytes and Candida in human skin scales, 31

Navarro, E.E., Almario, J.S., King, C., Bacher, J., Pizzo, P.A. & Walsh, T.J. Detection of Candida casts in experimental renal candidiasis: implications for the diagnosis and pathogenesis of upper urinary tract infection, 415

Nishikawa, T. See Naka, W.

Nombela, C. See Gil, C.

Ogawa, H. See Bramono, K.

Padhye, A.A., Amster, R.L., Browning, M. & Ewing, E.P. Fatal encephalitis caused by Ochroconis gallopavum in a domestic cat (Felis domesticus), 141

Padhye, A.A., Pathak, A.A., Katkar, V.J., Hazare, V.K. & Kaufman, L. Oral histoplasmosis in India: a case report and an overview of cases reported during 1968-92, 93

Padhye, A.A., Weitzman, I. & Domenech, E. An unusual variant of Trichophyton tonsurans var. sulfureum, 147

Pappagianis, D. & Ajello, L. Dematiaceous-a mycologic misnomer?, 319

Pathak, A.A. See Padhye, A.A.

Pedroza-Seres, M., Quiroz-Mercado, H., Granados, J. & Taylor, M.L. The syndrome of presumed ocular histoplasmosis in Mexico: a preliminary study, 83

Peebles, R. See Walsh, T.J.

Pérez-Diaz, R. See Gil, C.

Philippe, H. See Leclerc, M.C.

Pinel, C., Monod, M., Ambroise-Thomas, P. & Grillot, R. Western blot detection of IgG anti-Aspergillus fumigatus elastase in sera of patients with aspergillosis, 231

Pizzo, P.A. See Navarro, E.E.

Pizzo, P.A. See Walsh, T.J.

Quiroz-Mercado, H. See Pedroza-Seres, M.

Radke, L.L., Hahn, B.L., Wagner, D.K. & Sohnle, P.G. Comparison of the metalbinding anticandidal activities of serum and abscess fluid supernatants, 295

Ragan, M.A. See Fan, M.

Ramsey, H. See Morrow, B.

Reichard, U., Eiffert, H. & Rüchel, R. Purification and characterization of an extracellular aspartic proteinase from Aspergillus fumigatus, 427

Ricci, L.C. See Mendes-Giannini, M.J.S. Rinaldi, M.G. See Hostetler, J.S.

Rodrigues, E.G. & Travassos, L.R. Nature of the reactive epitopes in Paracoccidioides brasiliensis polysaccharide antigen, 77

Rossi, G.R., Sastre, D.A., Rubenstein, H.R. & Masih, D.T. Biochemical basis for the killing of Cryptococcus neoformans by rat peritoneal cells, 405

Rubenstein, H.R. See Rosse, G.R.

Rüchel, R. See Reichard, U.

San-Blas, F., San-Blas, G. & Gil, F. Production and regeneration of protoplasts from the Y-phase of the human pathogenic fungus Paracoccidioides brasiliensis, 381

San-Blas, G. See San-Blas, F.

Sanglard, D. See Togni, G.

Sastre, D.A. See Rossi, G.R.

Schaufele, R. See Walsh, T.J.

Scofield, B.A. See Merkel, G.J.

Sharkey, P.K. See Hostetler, J.S.

Sherwood-Higham, J., Zhu, W.-Y., Devine, C.A., Devine, G.W., Gooday, G.W., Gow, N.A.R. & Gregory, D.W. Helical growth of hyphae of *Candida albicans*, 437

Sien, T. See Walsh, T.J.

Sigler, L., Abbott, S.P. & Woodgyer, A.J. New records of nail and skin infection due to Onychocola canadensis and description of its teleomorph Arachnomyces nodosetosus sp. nov., 275

Singer-Vermes, L.M. See Vaz, C.A.C.

Singer-Vermes, L.M. See Xidieh, C.F.

Smith, R.P. See Louie, A.

Sobel, J.D. See Lynch, M.E. Sohnle, P.G. See Radke, L.L.

Sohnle, P.G., Hahn, B.L. & Wagner, D.K. Arrays of *Candida albicans* pseudohyphae that protect the organisms from neutrophil fungicidal mechanisms in experimental infections of mice, 21

Soll, D.R. See Morrow, B.

Sonntag, H.-G. See Maiwald, M.

Souza, L.R. See Freire-Maia, D.V. Stevens, D.A. See Clemons, K.V.

Stevens, D.A. See Clemons, R.V. Stevens, D.A. See Dewsnup, D.H.

Stevens, D.A. See Dewshup, D.H. Stevens, D.A. See Hostetler, J.S.

Suegara, N. See Maebashi, K.

Sun, S.H. See Albert, M.M.

Switchenko, A.C. See Walsh, T.J.

Tajima, S. See Naka, W. Tanaka, K. See Doi, M.

Taylor, M.L. See Pedroza-Seres, M.

Thomas, P.A. Mycotic keratitis—an underestimated mycosis, 235

Tingler, M.J. See Jacobson, E.S.

Togni, G., Sanglard, D. & Monod, M. Acid proteinase secreted by *Candida tropicalis*: virulance in mice of a proteinase negative mutant, 257

Torosantucci, A. See Bromuro, C.

Torres-Guererro, H. & Edman, J.C. Melanindeficient mutants of Cryptococcus neoformans, 303

Toscano, E. See Mendes-Giannini, M.J.S. Travassos, L.R. See Rodrigues, E.G.

Tsuboi, R. See Bramono, K. Tucker, R.M. See Hostetler, J.S.

Uchida, K. See Maebashi, K. Uemura, M.A. See Mendes-Giannini, M.J.S. Uijthof, J.M.J. See de Hoog, G.S. Urbani, F. See Bromuro, C.

Vaz, C.A.C., Mackenzie, D.W.R., Hearn, V., Camargo, Z.P., Singer-Vermes, L.M., Burger, E. & Calich, V.L.G. Gelatinase activity of exoantigens from virulent and non-virulent isolates of *Paracoccidioides* brasiliensis, 65

Wagner, D.K. See Radke, L.L. Wagner, D.K. See Sonnle, P.G.

Walsh, T.J. See Navarro, E.E.

Walsh, T.J., Kelly, P., Peebles, R., Lee, J., Lecciones, J. & Pizzo, P.A. Biochemical and pharmacological factors causing induction and suppression of germination of *Trichos*poron beigelii, 123

Walsh, T.J., Lee, J.W., Sien, T., Schaufele, R., Bacher, J., Switchenko, A.C., Goodman, T.C. & Pizzo, P.A. Serum D-arabinitol measured by automated quantitative enzymatic assay for detection and therapeutic monitoring of experimental disseminated candidiasis: correlation with tissue concentrations of Candida albicans, 205

Watanabe, K. See Cho, T. Weitzman, I. See Padhye, A.A. Woodgyer, A.J. See Sigler, L.

Xidieh, C.F., Singer-Vermes, L.M., Calich, V.L.G. & Burger, E. Plasma amylase levels as a marker of disease severity in an isogenic murine model of paracoccidioidomycosis, 37

Yamaguchi, H. See Maebashi, K.

Zhu, W.-Y. See Sherwood-Higham, J.

Subject Index

Abscess fluid—metal binding anticandidal activity of, 295 Acid proteinase—of *C. albicans*, inhibition of secretion of, 1

negative mutants of *C. tropicalis*, 257

Actinomadura pelletieri—host tissue reaction to, 343 ultrastructure of, 343

Adherence of *C. albicans* to cultured keratinocytes, 473

AIDS—oral amphotericin B in treatment of fluconazole resistant thrush in, 389

Ambisome in murine coccidioidomycosis, 467

Amphotericin B-in treatment of fluconazole resistant thrush in AIDS, 389

Anticandidal activity of abscess fluid and serum, 295

Antimycotic activity against vaginal yeast isolates, 267

Arachnomyces nodosetosus—teleomorph of O. canadensis, 275

Aspartic proteinase from A. fumigatus—characterisation of, 427 purification of, 427

Aspergillosis—antibodies to *A. fumigatus* elastase in patients with, 231 clusters and sources of infection, 217

Aspergillus-in medical mycology, 477

Aspergillus fumigatus—antibodies to elastase from, in aspergillosis, 231

characterisation of aspartic proteinase from, 427 purification of aspartic proteinase from, 427

Australia—entomophthoromycosis caused by *B. ranarum* in, 225

Basidioibolus ranarum—in entomophthoromycosis in Australia, 225

Candida—neutral red for estimation of viability of, in skin scales, 31

Candida albicans-adherence of, to cultured keratinocytes, 473

characterisation of fatty acid synthase from, 13

electrophoretic karyotypes of, 133

epidermolytic proteinase and virulence in mice, 59

glucose uptake and growth cessation in, 461

helical growth of, 437

immunodominant 65 kDa mannoprotein from, 447

inhibition of acid proteinase secretion by, 1

inhibitory effects of antifungal agents on, 151

morphological effects of antifungal agents on, 151

phase-specific genes in, 287

pseudohyphal arrays in protection against neutrophils, 21

purification of fatty acid synthase from, 13

species-specific DNA fragment from, 71

switching in, 287

Candida tropicalis—acid proteinase of, 257

virulence of proteinase negative mutants of, 257

Cat-encephalitis caused by O. gallopavum in, 141

Chromosome aberations in lymphocytes from paracoccidioidomycosis patients, 199

Clusters of invasive aspergillosis, 217

Coccidioidomycosis-efficacy of Ambisome in, 467

treatment of, with D0870, 323

treatment of, with SCH 39304, 105

Cutaneous candidosis in guinea-pigs, 349

Cryptococcus neoformans—glial cell adherence and internalisation of, 361

killing of, by rat peritoneal cells, 405

melanin-deficient mutants of, 303

phylogenic analysis of rRNAs of, 163 restriction fragment polymorphisms of rRNAs of, 163 secondary structure of rRNAs of, 163 sequence of rRNAs of, 163 strains of, with defined capsular phenotypes, 401 vertebral osteomyelitis due to, 315

Defined capsular phenotypes of strains of *C. neoformans*, 401
Dematiaceous—a mycological misnomer, 319
Dermatophytes—neutral red for estimation of viability of, in skin scales, 31 phylogeny of, 331
Detection of renal casts in experimental renal candidosis, 415
Dimorphic fungi—phylogeny of, 331
D0870 in treatment of coccidioidomycosis, 323

Elastase—antibodies to, in patients with aspergillosis, 231 Electrophoretic karyotypes of C. albicans, 133 Encephalitis caused by O. gallopavum, in a cat, 141 Entomophthoromycosis—due to B. ranarum in Australia, 225 Epidermolytic proteinase of C. albicans and virulence in mice, 59 Exoantigens from P. brasiliensis-gelatinase activity of, 65 Exophiala jeanselmei var. lecanii-corni—in phaeohyphomycosis, 373 Experimental coccidioidomycosis—efficacy of Ambisome in, 467 treatment of with D0870, 323 Experimental cutaneous candidosis in guinea-pigs, 349 Experimental disseminated candidosis—serum D-arabinitol in, 205 Experimental paracoccidioidomycosis—plasma amylase as a marker of disease severity in, 37 Experimental renal candidosis—detection of renal casts in, 415 Experimental trichophytoses, efficacy of-fluconazole in, 181 itraconazole in, 181 terbinafine in, 181

Fatty acid synthase from *C. albicans*—characterisation of, 13 purification of, 13 Fluconazole—efficacy of, in experimental trichophytoses, 181

Gelatinase activity of exoantigens from *P. brasiliensis*, 65 Glial cell adherence and internalisation of *C. neoformans*, 361 Glucose uptake and growth cessation in *C. albicans*, 461 Guinea-pigs—experimental cutaneous candidosis in, 349

Heat-shock protein 80 of *H. capsulatum*, 47
Helical growth of *C. albicans*, 437 *Histoplasma capsulatum*—heat-shock protein 80 of, 47
Histoplasmosis—ocular, in Mexico, 83
oral, in India, 93
Host tissue reaction to *A. pelletieri*, 343

Immunodominant 65 kDa mannoprotein from *C. albicans*, 447 India—oral histoplasmosis in, 93 Induction of germination of *T. beigelii*, 123 Infection and invasion of Vero cells by *P. brasiliensis*, 189 Inhibition of acid proteinase secretion by *C. albicans*, 1 Inhibitory effects of antifungal agents on *C. albicans*, 151 Invasive aspergillosis—clusters and sources of, 217 Itraconazole—efficacy of, in experimental trichophytoses, 181

Keratinocytes—adherence of *C. albicans* to, 473 Killing of *C. neoformans* by rat peritoneal cells, 405

Lymphocytes—chromosome aberrations in, from paracoccidioidomycosis patients, 199

Medically relevant yeasts—polymerase chain reaction in identification of, 115 restriction enzyme analysis in identification of, 115 Melanin-deficient mutants of *C. neoformans*, 303

Mexico—syndrome of presumed ocular histoplasmosis in, 83 Morphological effects of antifungal agents on *C. albicans*, 151

Mycotic keratitis, 235

Nail infections due to *O. canadensis*, 275 Neutral red for evaluation of fungal viability in skin scales, 31 Neutrophils—protection from, by *C. albicans* pseudohyphal arrays, 21

Ochroconis gallopavum—cause of encephalitis in a cat, 141 Ocular histoplasmosis in Mexico, 83 Onychocola canadensis—nail and skin infections due to, 275 Oral histoplasmosis in India, 93

Paracoccidioides brasiliensis—gelatinase activity of exoantigens from, 65 infection and invasion of Vero cells by, 189 production of protoplasts from, 381 reactive epitopes of polysaccharide antigen from, 77

Paracoccidioidomycosis—chromosome aberrations in lymphocytes from patients with, 199 plasma amylase as a marker of disease severity in, 37

Phaeohyphomycosis—due to E. jeanselmei var. lecanii-corni, 373

Phase-specific genes in C. albicans, 287

Phylogenic analysis of rRNAs of C. neoformans, 163

Phylogeny of dermatophytes and dimorphic fungi, 331

Plasma amylase as a marker of disease severity in experimental paracoccidioidomycosis, 37

Polymerase chain reaction in identification of medically relevant yeasts, 115 Polysaccharide antigen of *P. brasiliensis*—reactive epitopes of, 77

Pseudohyphal arrays of C. albicans in protection against neutrophils, 21

Protoplasts from P. brasiliensis, 381

Rat peritoneal cells—in killing of *C. neoformans*, 405
Reactive epitopes of *P. brasiliensis* polysaccharide antigen, 77
Renal casts—detection of, in experimental renal candidosis, 415
Restriction enzyme analysis in identification of medically relevant yeasts, 115
Restriction fragment polymorphisms of rRNAs of *C. neoformans*, 163
rRNAs of *C. neoformans*, 163

SCH 39304 in treatment of coccidioidomycosis, 105
Secondary structure of rRNAs of *C. neoformans*, 163
Serum D-arabinitol in experimental disseminated candidosis, 205
Serum—metal-binding anticandidal activity of, 295
Sequence of rRNAs of *C. neoformans*, 163
Skin scales—estimation of fungal viability in, with neutral red, 31
Skin infections due to *O. canadensis*, 275
Sources of invasive aspergillosis, 217
Species-specific DNA fragment from *C. albicans*, 71
Suppression of germination of *T. beigelii*, 123
Switching in *C. albicans*, 287

Syndrome of presumed ocular histoplasmosis in Mexico, 83 Systemic fungal infections in Thailand, 395

Terbinafine—efficacy of, in experimental trichophytoses, 181
Thailand—systemic fungal infections in, 395
Thrush—amphotericin B in treatment of fluconazole resistant, in AIDS, 389
Treatment of coccidioidomycosis with SCH 39304, 105
Trichophyton tonsurans var. sulphureum—unusual variant of, 147
Trichosporon beigelii—induction and suppression of germination of, 123

Ultrastructure of A. pelletieri, 343

Vaginal yeasts—antimycotic activity against, 267 Variant of *T. tonsurans* var. *sulfureum*, 147 Vero cells—infection and invasion of, by *P. brasiliensis*, 189 Vertebral osteomyelitis due to *C. neoformans*, 315 Virulence of *C. albicans*—role of epidermolytic proteinase in, 59 Virulence of *C. tropicalis* proteinase negative mutants, 257